

COVILHÃ AD

1 LOCALIZAÇÃO

Covilhã
2 Km (1,1 NM) SSE

2 DADOS DE REFERÊNCIA AD

LAT 401555N
LONG 0072843W

Elevação: 482m/1581FT

THR RWY 05 elevação: 478m
THR RWY 23 elevação: 478m

Temperatura média máxima: 17° C
Temperatura média mínima: 7° C
Nebulosidade anual (média): 4.5
Precipitação anual (média) : 2320 mm
Vento predominante: SW

Var. Mag: 03°31' W (2006)
Variação Anual: -9'

3 ALTITUDE DE TRANSIÇÃO**4 TRÁFEGO AUTORIZADO**

VFR (MTOM = ou < 5700KG)
Operação de Ultraleves - SIM

5 HORÁRIO DE OPERAÇÃO

Aeródromo: HO
Seg a Sex 0800/1800 LMT
Voos fora deste período devem ser comunicados com 4 horas antecedência Sab, Dom e Feriados - A pedido, com 24 horas de antecedência. Exceptuam-se voos de emergência médica

Segurança: H24

6 ADMINISTRAÇÃO do AD

Endereço:
Câmara Municipal da Covilhã

Tel: +351275322106/7/8/9

Fax: +351275323785

AD Tel / Fax: +351275336086

1 LOCATION

Covilhã
2 Km (1.1NM) SSE

2 AD REFERENCE DATA

LAT 401555N
LONG 0072843W

Elevation: 482m/1581FT

THR RWY 05 elevation: 478m
THR RWY 23 elevation: 478m

Max. temp (average): 17°C
Min. temp (average): 7° C
Annual Nebulosity (average): 4.5
Annual Precipitation (average): 2320mm
Dominant Wind: SW

Mag.Var: 03°31' W (2006)
Annual change: -9'

3 TRANSITION ALTITUDE**4 APPROVED TRAFFIC**

VFR (MTOM = ou < 5700KG)
Ultralight operation - YES

5 HOURS OF OPERATION

Aerodrome: HO
Mon to Fri 0800/1800 LMT
Beyond this period 4 hours PPR
Sat, Sun and Hollidays - on request 24 hours in advance. No restriction for Hospital flights

Security: H24

6 AD ADMINISTRATION

Post::
Câmara Municipal da Covilhã

Phone: +351275322106/7/8/9

Fax: +351275323785

AD phone / Fax: +351275336086

MANUAL VFR

Director do AD Tel:
+351275322106 / +351964029410

Director do AD Substituto Tel:
+351966779465

Funcionário Responsável AD Tel:
+351275323351 / +351963334115

7 SERVIÇO DE FRONTEIRAS

Não existente

8 COMBUSTÍVEL E LUBRIFICANTE

Tipos de combustível:
AVGAS 100LL

9 REPARAÇÃO/MANUTENÇÃO

Não existente

**10 COMBATE INCÊNDIOS
CATEGORIA**

Não existente

11 RESTRIÇÕES LOCAIS**Obstáculos:**

Superfície de transição a Este da pista perfurada pelo terreno e por edificações. Superfície de transição a Oeste da pista nas proximidades da soleira 24, perfurada por árvores de grande porte.

Os primeiros 60 m de cada pista não devem ser utilizados devido a irregularidades nas faixas da pista.

12 PROCEDIMENTOS

AFIS: (Vedada a prestação de serviço)
Freq: 122.000MHZ
Cobertura: 15NM
Tipo Emissão: A3E

FIS Freq 130.900MHZ

Locator: "COV"
Freq: 360 KHZ
Cobertura: 25NM
Tipo Emissão: NON/A2A

13 INFORMAÇÃO ADICIONAL

Hangars:

AD Director Phone:
+351275322106 / +351964029410

AD Director Deputy Phone:
+351966779465

AD Manager Phone:
+351275323351 / +351963334115

7 CUSTOMS

Nil

8 FUEL AND OIL

Fuel grades: AVGAS 100LL

9 REPAIR FACILITIES

Nil

10 FIRE FIGHTING CATEGORY

Nil

11 LOCAL RESTRICTIONS**Obstacles:**

Transition surface East RWY protruded by terrain and buildings.
Transition surface West RWY near THR 24 protruded by large trees.

The first 60 m of each RWY unserviceable due to pavement degradation on RWY edges.

12 PROCEDURES

AFIS: (Service not provided)
Freq: 122.000MHZ
Coverage: 15NM
Emission type: A3E

FIS Freq 130.900MHZ

Locator: "COV"
Freq: 360 KHZ
Coverage: 25NM
Emission type: NON/A2A

13 ADDITIONAL INFORMATION

Hangars:

MANUAL VFR

1- 300 m2 (20x15)
Porta 15X4 m

Hoteis: Covilhã

Restaurantes: Covilhã e no aeródromo

Estação Ferroviária: Covilhã

Saúde: Hospital Covilhã

Correios: Covilhã

Banco: Covilhã

Turismo: Covilhã .

1- 300 m2 (20x15)
Door 15X4 m

Hotels: Covilhã

Restaurants: Covilhã and in the
aerodrome

Railway Station: Covilhã

Health: Hospital in Covilhã

Post Office: Covilhã

Bank: Covilhã

Tourism: Covilhã

BLANK


CARTA APROXIMAÇÃO VISUAL
VISUAL APPROACH CHART

AD ELEV 1581 ft
HEIGHTS RELATED
TO AD ELEV

COVILHÃ / LPCV

AFIS NIL

FIS 130.900



BLANK


CARTA DE AERODROMO
AERODROME CHART

AD ELEV 482 m
LAT 40°15'55"N
LONG 007°28'43"W

COVILHÃ / LPCV

AFIS NIL FIS 130.900

ELEVATIONS AND DIMENSION IN METRES
BEARINGS ARE MAGNETIC



NOT TO SCALE
COMPLETE AERODROME
LAYOUT UNDER DEVELOPMENT

RWY	DIRECTION	THR	BEARING STRENGTH
05	051°	40° 15' 42.88° N 007° 28' 02.72° W	7.5TON/RIS
23	231°	40° 16' 03.45° N 007° 28' 32.92° W	

CARACTERÍSTICAS FÍSICAS / PHYSICAL CHARACTERISTICS						
RWY	Dimensões e pavimento Dimensions and surface	Resistência Strength	Distâncias Declaradas Declared Distances			
			TORA	TODA	ASDA	LDA
05	960X23 CONC	7.5 TON/RIS	960	960	960	960
23			960	960	960	960
APRON 4900 m2 CONC						
TWY Width 15,5 m CONC						

ILUMINAÇÃO / LIGHTING							
RWY	APCH	PAPI	THR	END	TDZ	RCL	EDGE

SURFACE MOVEMENT GUIDANCE AND MARKINGS						
ID SIGN	WDI	LDI	RWY MARKS	TDZ MARKS	RWY DESIGNATION	RCL
X	X		X	X	X	X